

Declaration of Conformity on Food Contact Materials

The manufacturer or his authorized representative established in the European Union:

Name:Paardekooper BV (part of the Koninklijke Paardekooper Group BV)Address:Willem Beukelszstraat 163261 LV Oud-Beijerland
The Netherlands

Declares that the product described below

Article nr.	Description article	Material
600078	Reusable lepel wit 170mm PS	(O) PS

Is suitable for direct contact with food as listed and complies with:

- Regulation EC 1935/2004 on materials and items intended to come in contact with food
- Regulation **EC 2023/2006** on Good Manufacturing Practice for materials and articles intended for contact with food
- Regulation **EC 10/2011** on plastic materials and articles intended to come in contact with food with all later amendments
- Directive 94/62/EC on packaging and packaging waste with all later amendments

Intended use / Condition of Use

The materials or articles intended to come into contact with food are intended for use under the following conditions:

- Types of food intended to come into contact with the material:
- Duration and temperature of treatment while in contact with food: Contact with heating to 70°C for up to 2 hours or to 100°C for up to 15 minutes, not followed by prolonged storage at room temperature or refrigerated
- Suitable for single or repeated use: Repeated use

Overall Migration

Food simulant	Tested	Test conditions (duration & temperature)	Passed
10% ethanol (A)	\boxtimes	2 hours @ 70°C	\boxtimes
3% acetic acid (B)	\boxtimes	2 hours @ 70°C	\boxtimes
Vegetable oil (D2)	\boxtimes	2 hours @ 70°C	\boxtimes



Specific Migration / Heavy Metals

Producer(s) of the above product(s) mentioned any substances for which the specific migration limit is established.

Test Item	Result					Hatta	D.L.
Test item	1	1.50			•	Units	D.L.
Cadmium (Cd) Content	ND	-	9		2	mg/kg	2
Lead (Pb) Content	ND	(3)	ನೆಂ		58	mg/kg	2
Mercury (Hg) Content	ND	94) 1	2	1993	-	mg/kg	2
Chromium (VI) (Cr(VI)) Content	ND		53	(72) (72)	20	mg/kg	10
Polybrominated Biphenyls (PBBs)	ND	340	-		-	mg/kg	5
Monobromodiphenyl (MonoBB)	ND		5.			mg/kg	5
Dibromodiphenyl (DiBB)	ND	- 14 C	÷		-	mg/kg	5
Tribromodiphenyl (TriBB)	ND		29		24	mg/kg	5
Tetrabromodiphenyl (TetraBB)	ND	(3 3)	5		=	mg/kg	5
Pentabromodiphenyl (PentaBB)	ND	8			2	mg/kg	5
Hexabromodiphenyl (HexaBB)	ND	(#3)	t a	1.52	78	mg/kg	5
Heptabromodiphenyl (HeptaBB)	ND	(4)	2	1943	-	mg/kg	5
Octabromodiphenyl (OctaBB)	ND		5		54	mg/kg	5
Nonabromodiphenyl (NonaBB)	ND	190	÷.	-	-	mg/kg	5
Decabromodiphenyl (DecaBB)	ND		<u>2</u>		23	mg/kg	5
Polybrominated Diphenyl Ethers (PBDEs)	ND	. 	-			mg/kg	5
Monobromodiphenyl ether (MonoBDE)	ND		53	1. 1.722		mg/kg	5
Dibromodiphenyl ether (DiBDE)	ND		Ħ.	0 (#3)	-	mg/kg	5
Tribromodiphenyl ether (TriBDE)	ND		2		2	mg/kg	5
Tetrabromodiphenyl ether (TetraBDE)	ND		×		-	mg/kg	5
Pentabromodiphenyl ether (PentaBDE)	ND		5	(74) (74)	10	mg/kg	5
Hexabromodiphenyl ether (HexaBDE)	ND	-	-	-	-	mg/kg	5
Heptabromodiphenyl ether (HeptaBDE)	ND	æ.	5	(74) (74)	23	mg/kg	5
Octabromodiphenyl ether (OctaBDE)	ND		: 			mg/kg	5
Nonabromodiphenyl ether (NonaBDE)	ND	.	73	12	73	mg/kg	5
DecabroModiphenyl ether (DecaBDE)	ND	(2)	-		=	mg/kg	5



RoHS Chemical Test

	Result								
Test Item	1 st migration mg/kg	2 nd migration mg/kg	3 rd migration mg/kg	Reporting Limit mg/kg	Limit mg/kg				
Aluminium (AI)	ND	ND	ND	0.1	1				
Antimony (Sb)	ND	ND	ND	0.01	0.04				
Arsenic (As)	ND	ND	ND	0.01	ND				
Barium (Ba)	ND	ND	ND	0.1	1				
Cadmium (Cd)	ND	ND	ND	0.002	ND				
Chromium (Cr)	ND	ND	ND	0.01	ND				
Cobalt (Co)	ND	ND	ND	0.03	0.05				
Copper (Cu)	ND	ND	ND	1	5				
Iron (Fe)	ND	ND	ND	5	48				
Lead (Pb)	ND	ND	ND	0.01	ND				
Lithium (Li)	ND	ND	ND	0.1	0.6				
Manganese (Mn)	ND	ND	ND	0.1	0.6				
Mercury (Hg)	ND	ND	ND	0.01	ND				
Nickel (Ni)	ND	ND	ND	0.01	0.02				
Zinc (Zn)	ND	ND	ND	1	5				
Europium (Eu)	ND	ND	ND	0.01	0.05				
Gadolinium (Gd)	ND	ND	ND	0.01	0.05				
Lanthanum (La)	ND	ND	ND	0.01	0.05				
Terbium (Tb)	ND	ND	ND	0.01	0.05				
Sum of (Eu, Gd, La, Tb)	ND	ND	ND	0.04	0.05				

The cumulative amount of heavy metals lead (Pb), mercury (Hg), cadmium (Cd), and Chromium VI (Cr) in the materials supplied does not exceed the limit of 100 ppm.

Standard/Testing Item Result

Restriction of the use of certain hazardous substance in electrical and electronic equipment (RoHS Directive 2011/65/EU and amendment Commission Delegated Directive (EU) 2015/863) **Pass**

Sensorial tests (Taste and Smell) (ISO 13302:2003/ DIN 10955:2004)

Attribute	Tested?	Passed
Taste	\boxtimes	\boxtimes
Smell	\boxtimes	\boxtimes

Disclaimer:

This confirmation is not valid for unintended use of the product that can lead to changes of the composition or organoleptic properties of the product. The specific interaction between the food stuff and the product should be investigated by the user.

This declaration is valid as long as there are no changes in the composition of the above mentioned product and / or no revision of the relevant regulations have taken place, in which case it will be renewed.

We recommend our customers to verify the regulatory status periodically.

Date; 2022-04-15 Issued by; S. Jansen Quality Coordinator Paardekooper BV.