

Belscan Continental BV Stokkelaar 4

> 9160 Lokeren Belgium

Tel: +32 9 340 56 26

Email: info@belscan.be Home: www.Belscan.be

PRODUCT DATA SHEET						
	XS	S	М	L	XL	XXL
Our reference	9001422	9000503	9000504	9000505	9000506	
Description	Nitrile Gloves		HY@PRO	N M3,5	AQL	1,5
	Nitrile gloves	white powde	r-free M3.5 1	00pcs/dispen	ser box HY@P	RO

### PRODUCT PACKAGING IMAGE



PRODUCT DESCRIPTION										
Material			Nitrile							
Colour	White									
Characteristics		Powderfree		Non Sterile	Ambidextrous					
Surface		Finger Textured								

SIZES										
	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)			
Width		80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm					
length		≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm					

THICKNESS										
	Cuff	Palm	Fingertips	Overal weight (M)						
Thickness	0,08mm	0,10 mm	0,10mm	3,5 gram						


PRODUCT DATA SHEET						
	XS	S	М	L	XL	XXL
Our reference	9001422	9000503	9000504	9000505	9000506	
Description	Nitrile Gloves					
	Nitrile gloves 100pcs/dispe	•				

STANDARDI	SATION EN388	3						
EN 388 Mechanical risks	Abrasion resistance	Blade cut resistance	Tear resistance	Punture resistance	Blad cut resistance TDM-test	Impact test	0	EN 388:2016
Level								
STANDARDI	SATION EN374							
EN 374-1	The gloves must not	change their shape to	oo much, nor must th	ey break or stick.			<b>~</b>	
EN 374-2	The material must no	ot contain any perfora	ations				<b>~</b>	
EN 374-3	Chemicals must not	pass through the glov	e material				<b>~</b>	
EN 374-4	Tests are carried out	Tests are carried out on the duration and the amount of chemical substances that penetrate the glove.						
EN 374-4	Chemical		Code letter	Permeation level		Degradation		
	Sodium Hydroxide		К	6		-38,40%	<b>~</b>	
	Hydrogen Peroxide		Р	2		17,60%	<b>~</b>	
	n-heptane		J			27,40%	<b>~</b>	
	Ammonium hydroxid	de	0			0,299	<b>~</b>	
	Formaldehyde		T	5		0,466	<b>~</b>	
Accelerators						•	$\circ$	
EN 374-5	The glove is tight aga	ainst microorganisms	(viral, bacteria and fu	ıngi).				EN ISO 374-6-2016
Microorganism tightness	Testing method Test according to ISO 16604 - method B.							VIRUS
STANDARDI	SATION EN165	523						
EN16523-1		nterial resistance to pe ditions of continuous	•	als - Part 1: Permeatic	on by potentially haza	rdous liquid	<b>V</b>	

STANDARDISATION EN455									
EN 455 medical gloves for single use	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4	<b>~</b>	EN455						
EN 455-1	The glove has an AQL $< 1.5$ in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)	<b>~</b>	EN455-1						
EN 455-2:	The tensile strength, thickness and fit is tested with a minimum standard of 6 Newtons.	<b>✓</b>	EN455-2						
EN 455-3	This biological evaluation tests for the presence of harmful substances such as powder and micro-organisms.	$\checkmark$	EN455-3						
EN 455-4	The product tested shelf life	<b>✓</b>	EN455-4						
STANDARDISATION EN21420									
ISO EN 21420 Protective gloves	The glove meets the requirements according to EN 420 / ISO EN 21420	<b>~</b>							

PRODUCT DATA SHEET						
	XS	S	М	L	XL	XXL
Our reference	9001422	9000503	9000504	9000505	9000506	
Description	Nitrile Gloves					
	Nitrile gloves 100pcs/dispe	· ·				

REGALUTOR\	/ AFFAIRS							
PPE-Regulation (EU) 2016/425			Category III					
MD-Regulation (EU) 2017/745								
CE Regulation					SATRA	2777	<b>✓</b>	(€
EUROPEAN REPRESENTATIVE			radea is	de beste			$\circ$	EC REP
Food Contact (EG) 1935/2004	acidic foods	aqueous foods	fatty foots	alcoholic foods	dry foods		<b>~</b>	7,7
LATEX	Does not contain late	ex					<b>~</b>	CALER
Storage conditions	Store in original packaging in a dry and dark place at 10°C to 30°C. Refer to guidelines of storage of rubber product as decribed in ISO2230:2002. Ensure that storage is kept cool, dry and dust-free, avoid ventilation and storage close to phocopy equipment. Copper-ions discolour the glove.  Protect gloves against ultraviolet light sources, as sunlight and oxidizing agents. Storage above 30°C will lead to accelerated aging and should be avoided.							***
Single/double/Reus able	Examination glove fo	r single use					<b>~</b>	2
Sterile / Non Sterile	Non Sterile glove						<b>~</b>	NOR
ASTM F739	Symbol used for SW	chemotherany tested	I gloves that have hee	n tested either by AS	TM E739 or by ASTM	D6078		TESTED FOR USE WITH
ASTM D6978	Symbol used for SW chemotherapy tested gloves that have been tested either by ASTM F739 or by ASTM D6978							CHEMOTHERAPY DRUGS
REACH Compliant	REACH is a regulation of the European Union, adopted to improve the protection of human health and the environment from the risks that can be posed by chemicals, while enhancing the competitiveness of the EU chemicals industry.							(perm)
CE	CE conformoty							(€
Intrastat number	4015190000							
Made in	CN							



## LOGISTIC DATA SALES UNIT

General information		Material	Carton					
Size	pieces	EAN Code	REF code	Length (mm)	Width (mm)	Heigth (mm)		Gross weight
XS	100	5412276276891	9001422	200	110	60	300	360
S	100	5412276239780	9000503	200	110	60	340	400
М	100	5412276239803	9000504	200	110	60	360	420
L	100	5412276239827	9000505	200	110	60	400	460
XL	100	5412276239841	9000506	200	110	60	440	500
XXL								

## LOGISTIC DATA OUTER PACKAGING

General information		Material	Carton					
Size	pieces	EAN Code	REF code	Length (mm)	Width (mm)	Heigth (mm)		Gross weight
XS	10		9001422	320	230	250	3,6	3,9
S	10	5404017205703	9000503	320	230	250	4	4,3
М	10	5404017205727	9000504	320	230	250	4,2	4,5
L	10	5404017205741	9000505	320	230	250	4,6	4,9
XL	10	5404017205765	9000506	320	230	250	5	5,3
XXL								

# LOGISTIC DATA PALLET

General information		Pallet: EURO-PALLET						
Size	Cartons per layer	Layers per pallet	Netto height	Gross Heigth (incl. Euro pallet 14,4cm)	Gross weight (incl. Euro pallet 25kg)			
XS	11	6	25	164,4	282,4kg			
S	11	6	25	164,4	308,8kg			
М	11	6	25	164,4	322,kg			
L	11	6	25	164,4	348,4kg			
XL	11	6	25	164,4	374,8kg			
XXL								

PRODUCT DATA SHEET						
	XS	S	М	L	XL	XXL
Our reference	9001422	9000503	9000504	9000505	9000506	
Description	Nitrile Gloves					Ш
	Nitrile gloves white powder-free M3.5 100pcs/dispenser box HY@PRO					

#### **Declaration of conformity Food**



Food Compliance Declaration - Belscan

Date: 04-07-2022 Owner: Q-Team

Code: I.02.09.03.DOC.10 Version: 001 Authorizer: QA

# Declaration of compliance for materials and articles intended to come into contact with food

The Supplier, or his authorized representative who is established in the community:

Name: Belscan Continental BV

Address: Stokkelaar 4-9160 Lokeren, Belgium

Declares that the following product(s):

Ref. 9000503-506-9001422: Nitrile gloves white powder-free M3.5 100pcs/dispenser box HY@PRO

is in accordance with Regulations (EC) No 2023/2006 (Good Manufacturing Practices)<sup>1</sup>, and No. 1935/2004 (Non-Plastic Materials)<sup>2</sup>.

For use in the following circumstances

- type of food stuff intended for coming into contact with materials / objects: All types of food
- Storage time and temperature of the material/object: 3 years- between 5° c and 30 °c
- Possible treatment for the material/object: not suitable for heat treatment
- Ratio surface/volume: 10 mg/d²

(Appropriate information on all substances for which there are restrictions, at the level of the EU as well as at the Belgian level, so that all future users can comply with those restrictions. In the absence of any national or European regulation, all information on international restrictions, norms or guide values has to be provided (Council of Europe, WHO, Codex Alimentarius...))

Completed at,

Lokeren

Radea Ahaddour Quality department For Belscan Continental BV Date: 26/06/24

