

PRODUCT DATA SHEET

	XS	S	M	L	XL	XXL
Our reference		9001187	9001188	9001189	9001190	
Description	latex gloves		HY@PRO LP5,0		AQL 1,5	
Latex gloves white powdered M5 100pcs/dispenser box						

PRODUCT PACKAGING IMAGE



PRODUCT DESCRIPTION


Material	Latex					
Colour	White					
Characteristics	Powdered			Non Sterile	Ambidextrous	
Surface			Non textured			

SIZES


	XS (5-6)	S (6-7)	M (7-8)	L (8-9)	XL (9-10)	XXL (10-11)	XXXL (11-12)
Width		80 ± 10 mm	95 ± 10 mm	110 ± 10 mm	115 ± 10 mm		
length		≥ 240 mm	≥ 240 mm	≥ 240 mm	≥ 240 mm		

THICKNESS


	Cuff	Palm	Fingertips	Overall weight (M)			
Thickness	0,08mm	0,10 mm	0,10mm	5,0 gram			

PRODUCT DATA SHEET						
	XS	S	M	L	XL	XXL
Our reference		9001187	9001188	9001189	9001190	
Description	latex gloves					
	Latex gloves white powdered M5					
	100pcs/dispenser box					
						

STANDARDISATION EN388

EN 388 Mechanical risks	Abrasion resistance	Blade cut resistance	Tear resistance	Puncture resistance	Blad cut resistance TDM-test	Impact test		EN 388:2016
Level							○	

STANDARDISATION EN374

EN 374-1	The gloves must not change their shape too much, nor must they break or stick.						✓	
EN 374-2	The material must not contain any perforations						✓	
EN 374-3	Chemicals must not pass through the glove material						✓	
EN 374-4	Tests are carried out on the duration and the amount of chemical substances that penetrate the glove.						✓	
EN 374-4	Chemical	Code letter	Permeation level		Degradation			
	Sulphuric Acid 96%	L	1		99,40%	✓		
	Nitric Acid 65 %	M	1		53,30%	✓		
	Hydrogen Peroxide	P	1		-92,50%	✓		
						○		
						○		
Accelerators						○		
EN 374-5 Microorganism tightness	The glove is tight against microorganisms (viral, bacteria and fungi).						✓	
	Testing method	Test according to ISO 16604 - method B.						

STANDARDISATION EN16523

EN16523-1	Determination of material resistance to permeation by chemicals - Part 1: Permeation by potentially hazardous liquid chemicals under conditions of continuous contact	✓	
-----------	---	---	--


STANDARDISATION EN455

EN 455 medical gloves for single use	The glove meets the requirements according to EN 455-1, EN 455-2, EN 455-3, EN 455-4	✓	EN455
EN 455-1	The glove has an AQL < 1.5 in regards to the water retention test (sampling inspection in acc. to ISO 2859-1, general Inspection Level I)	✓	EN455-1
EN 455-2:	The tensile strength, thickness and fit is tested with a minimum standard of 6 Newtons.	✓	EN455-2
EN 455-3	This biological evaluation tests for the presence of harmful substances such as powder and micro-organisms.	✓	EN455-3
EN 455-4	The product tested shelf life	✓	EN455-4








STANDARDISATION EN21420

ISO EN 21420 Protective gloves	The glove meets the requirements according to EN 420 / ISO EN 21420	✓	
-----------------------------------	---	---	--

PRODUCT DATA SHEET


	XS	S	M	L	XL	XXL
Our reference		9001187	9001188	9001189	9001190	
Description	latex gloves Latex gloves white powdered M5 100pcs/dispenser box					
						

REGALUTORY AFFAIRS

PPE-Regulation (EU) 2016/425			Category III					
MD-Regulation (EU) 2017/745								
CE Regulation	SATRA 2777						✓	CE
EUROPEAN REPRESENTATIVE	radea is de beste						✓	EC REP
Food Contact (EG) 1935/2004		aqueous foods	fatty foods	alcoholic foods	dry foods		✓	
LATEX	Does not contain latex						✓	
Storage conditions	Store in original packaging in a dry and dark place at 10°C to 30°C. Refer to guidelines of storage of rubber product as decribed in ISO2230:2002. Ensure that storage is kept cool, dry and dust-free, avoid ventilation and storage close to phocopy equipment. Copper-ions discolour the glove. Protect gloves against ultraviolet light sources, as sunlight and oxidizing agents. Storage above 30°C will lead to accelerated aging and should be avoided.			Shelf life (months)	60		✓	
Single/double/Reusable	Examination glove for single use						✓	
Sterile / Non Sterile	Non Sterile glove						✓	
ASTM F739	Symbol used for SW chemotherapy tested gloves that have been tested either by ASTM F739 or by ASTM D6978						✓	
ASTM D6978								
REACH Compliant	REACH is a regulation of the European Union, adopted to improve the protection of human health and the environment from the risks that can be posed by chemicals, while enhancing the competitiveness of the EU chemicals industry.						✓	
CE	CE conformoty						✓	CE
Intrastat number	4015190000							
Made in	THAILAND							

PRODUCT DATA SHEET

	XS	S	M	L	XL	XXL
Our reference		9001187	9001188	9001189	9001190	
Description	latex gloves					
	Latex gloves white powdered M5					
	100pcs/dispenser box					



LOGISTIC DATA SALES UNIT

General information		Material		Carton				
Size	pieces	EAN Code	REF code	Length (mm)	Width (mm)	Height (mm)	Net weight	Gross weight
XS								
S	100	5412276101001	9001187	220	110	65	460	510
M	100	5412276101018	9001188	220	110	65	500	550
L	100	5412276101025	9001189	220	110	65	550	600
XL	100	5412276101032	9001190	220	110	65	590	640
XXL								

LOGISTIC DATA OUTER PACKAGING

General information		Material		Carton				
Size	pieces	EAN Code	REF code	Length (mm)	Width (mm)	Height (mm)	Net weight	Gross weight
XS								
S	10	25412276101005	9001187	315	250	230	5,1	5,5
M	10	25412276101012	9001188	315	250	230	5,5	5,9
L	10	25412276101029	9001189	315	250	230	6	6,4
XL	10	25412276101036	9001190	315	250	230	6,4	6,8
XXL								

LOGISTIC DATA PALLET

General information		Pallet: EURO-PALLET				
Size	Cartons per layer	Layers per pallet	Netto height	Gross Height (incl. Euro pallet 14,4cm)		Gross weight (incl. Euro pallet 25kg)
XS						
S	11	6	23	152,4		388,kg
M	11	6	23	152,4		414,4kg
L	11	6	23	152,4		447,4kg
XL	11	6	23	152,4		473,8kg
XXL						

PRODUCT DATA SHEET

	XS	S	M	L	XL	XXL
Our reference		9001187	9001188	9001189	9001190	
Description	latex gloves					
	Latex gloves white powdered M5					
	100pcs/dispenser box					



Declaration of conformity Food



Food Compliance Declaration - Belscan

Date: 04-07-2022
Owner: Q-Team

Code: I.02.09.03.DOC.10 Version: 001
Authorizer: QA

Declaration of compliance for materials and articles intended to come into contact with food

The Supplier, or his authorized representative who is established in the community:

Name : Belscan Continental BV
Address : Stokkelaar 4-9160 Lokeren, Belgium

Declares that the following product(s):

Ref. 9001187-90: Latex gloves white powdered M5 100pcs/dispenser box HY@PRO

is in accordance with Regulations (EC) No 2023/2006 (**Good Manufacturing Practices**)¹, and No. 1935/2004 (**Non-Plastic Materials**)².

For use in the following circumstances

- type of food stuff intended for coming into contact with materials / objects: All types of food with exception of acid foods
- Storage time and temperature of the material/object: 3 years- between 5° c and 30 °c
- Possible treatment for the material/object: not suitable for heat treatment
- Ratio surface/volume: 10 mg/d²

(Appropriate information on all substances for which there are restrictions, at the level of the EU as well as at the Belgian level, so that all future users can comply with those restrictions. In the absence of any national or European regulation, all information on international restrictions, norms or guide values has to be provided (Council of Europe, WHO, Codex Alimentarius...))

Completed at,

Lokeren

Radea Ahaddour
Quality department
For Belscan Continental BV

Date: 27/06/24

