

Cartonboard + PE	DECLARATION OF COMPLIANCE	
	Version: 6-10-2020	DEF.
Conpax b.v. Linie 13 NL-6678PK Oosterhout +31 (0)887 588 111		

This is a Declaration Of Compliance for the followed mentioned article(s), which are intended to come into contact with foodstuffs:

- 31125 Sausbakjes 45 ml (1,5 oz), karton Ø 6,1 x 4 cm bruin "Kraft"
- 31126 Sausbakjes 60 ml (2 oz), karton Ø 6,1 x 4,8 cm bruin "Kraft"
- 31127 Sausbakjes 90 ml (3 oz), karton Ø 6,1 x 5,8 cm bruin "Kraft"
- 31128 Sausbakjes 120 ml (4 oz), karton Ø 6,1 x 6,5 cm bruin "Kraft"

We declare that all components of this/these article(s) are in compliance with the following directives/regulations:

- ☒ Directive 94/62/EC
- ☒ Regulation EU 1935/2004
- ☒ Directive 2002/72/EC
- ☒ Directive 2007/19/EC
- ☒ Directive 2011/65/EU
- ☒ Directive 2002/95/EC
- ☒ Regulation EU 10/2011 and its subsequent amendments up to and including 174/2015
- ☒ Directive 2023/2006/EC (GMP)
- ☒ Regulation EU 1186/2002
- ☒ ISO 22000
- ☒ FCS label

This/these products were tested under the intended use of the products to come into contact with foodstuffs. They were therefore tested as stated below.

This/these products were tested with the following simulants during migration tests:

Simulant	Description	Tested
A	Ethanol 10%	<input checked="" type="checkbox"/>
B	Acetic Acid 3%	<input checked="" type="checkbox"/>
C	Ethanol 10%	<input checked="" type="checkbox"/>
D1	Ethanol 95%	<input checked="" type="checkbox"/>
D2	Vegetable Oil	<input checked="" type="checkbox"/>
E	Poly (2,6-diphenyl-p-phenyl)	<input type="checkbox"/>

Cartonboard + PE	DECLARATION OF COMPLIANCE	
	Version: 6-10-2020	DEF.
Conpax b.v. Linie 13 NL-6678PK Oosterhout +31 (0)887 588 111		

These tests were conducted under the following conditions:

Test time + temperatures	Simulants	Tested	Intended use
2 hours at 70 °C		<input type="checkbox"/>	
1 hour at 100 °C		<input type="checkbox"/>	Direct, permanent contact with foodstuffs
10 days at 20 °C		<input type="checkbox"/>	
10 days at 40 °C	All of the above	<input checked="" type="checkbox"/>	Direct, permanent contact with foodstuffs

The ratio of the area of the food contact material to the volume used amounts $<2.5 \text{ mg/dm}^2$, which states that the material of article complies with the requirements on OML (10 mg/dm^2).

- ☐ There are no monomere(s) and or additives used which are subject to SML or QM restrictions
- ☒ There are no dual use additives used which are subject to SML or QM restrictions
- ☒ There are monomere(s) and or additives used which are subject to SML or QM restrictions
- ☐ There are dual use additives used which are subject to SML or QM restrictions

PM REF N/CAS	SML in mg/kg food	Dual use	
<i>PE FILM</i>			
Barium	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Cobalt	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Copper	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Iron	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Lithium	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Manganese	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Zinc	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
<i>Ink</i>			
Cadmium Cd	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Lead (Pb)	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Mercury (Hg)	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Hexavalent Chromium (Cr(VI))	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Sum of PBBs	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Monobromobiphenyl	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes

Cartonboard + PE	DECLARATION OF COMPLIANCE	
	Version: 6-10-2020	DEF.
Conpax b.v. Linie 13 NL-6678PK Oosterhout +31 (0)887 588 111		

Dibromobiphenyl	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Tribromobiphenyl	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Tetrabromobiphenyl	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Pentabromobiphenyl	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Hexabromobiphenyl	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Heptabromobiphenyl	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Octabromobiphenyl	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes
Nonabromobiphenyl	ND	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes


The calculated or analysed value(s) show **NO** indications that the SML or QM restrictions are exceeded. If specific information about these components is required, it will be provided under the signs of a confidentiality statement only.

- ☐ We declare that in above mentioned product a functional barrier-layer is used in a multi-layer product which complies with the requirements of Article 13.2, 13.3, 13.4 or Article 14.2, 14.3 of Regulation EU 10/2011.
- ☒ We also declare that, in case of a printed item, the used ink on the packaging material is always printed on the outside of the product and is in accordance with the regulation EU 1935/2004

This declaration is valid from the below mentioned date and will be renewed only when and if there are significant changes in the product, its components, processing practices which mutates some essential requirements of the conformity or if the mentioned legislative references are modified and updated and require new conformity evaluations.
The latest version of this declaration always substitutes prior versions.

Date : 17-02-2025

Signature:

<div>Conpax B.V.</div> <div></div> <div>R.H.M. Suiskens Managing Director</div> <div><small>This statement is based on our current knowledge and covers commercial products supplied by Conpax at the date of issue. Since conditions of use are outside control of Conpax, Conpax makes no warranties and assumes no liability in connection with any use of this information.</small></div>
--