

# **Declaration of Conformity with the requirements of Food Contact Legislation**

The manufacturer or his authorized representative established in the Community:

Name: Paardekooper Verpakkingen BV

Adress: W. Beukelszstraat 16

3261 LV, Oud-Beijerland

Netherlands

# Declares that (the) products described below

Article	e nr.	Description	Material
442	026	Soeppot + deksel transp. PP 1000ml	PP

Is (are) suitable for food contact and complies with:

- Regulation of the European Parliament EC 1935/2004 on materials and articles intended for food contact,
- Directive 94/62/EC on packaging and packaging waste and heavy metals,
- Regulation 2023/2006 of December 2006 on good manufacturing practise for materials and articles to come into contact with food and subsequent additions,
- Regulation 10/2011 relating to materials and articles made of plastic, intended to come into contact with food.
- Regeling Verpakkingen- en gebruiksartikelen (Warenwet)

This declaration does not apply if an article is used in other circumstances than described below. It is in this case that the downstream user is responsible to comply with the relevant legislation.

### **Global Migration**

Global Migration					
Food simulant	<b>Test conditions</b>	Unit	Criteria	Passed/ Failed	
10% Ethanol	2 hrs reflux	mg/dm²	≤ 10	passed	
3% Acetic acid	2 hrs reflux	mg/dm²	≤ 10	passed	
Olive Oil	1 hrs 121° C	mg/dm²	≤ 10	passed	

Ratio: 5.9

#### **Specific Migration / Heavy Metals**

Producer(s) of the above product(s) mentioned any substances for which the specific migration limit is established.

FCM	PM Ref	CAS	Name	SML	(mg/kg)	Compliance
779	39815	182121-12-6	6 9,9-bis(methoxymethyl)fluorene	0,05	-	Calculation
444	40000	1000 00 1				
411	42080	1333-86-4	Carbon black	-	Maximum use level of car	b Supplier

An analysis proved that specific migrations of primary aromatic amines have not exceeded tht 0.002mg/kg regulatory threshold.

The cumulative amount of heavy metals lead (Pb), mercury (Hg), cadmium (Cd), and Chromium VI (Cr) in the materials supplied does not exceed the limit of 100 ppm.



Metal(s)	SML (mg/Kg)	Compliance	Metal(s)	SML (mg/Kg)	Compliance
Aluminium	1	Analysis	Arsenic	ND	Analysis
Barium	1	Analysis	Cadmium	ND	Analysis
Cobalt	0,05	Analysis	Chromium	ND	Analysis
Copper	5	Analysis	Europium	0,05	Analysis
Iron	48	Analysis	Gadolinium	0,05	Analysis
Lithium	0,6	Analysis	Mercury	ND	Analysis
Manganese	0,6	Analysis	Lanthanum	0,05	Analysis
Nickel	0,02	Analysis	Lead	ND	Analysis
Zinc	5	Analysis	Antimony	0,04	Analysis
			Terbium	0,05	Analysis

## **Dual-Use Additives:**

E470a	Sodium, potassium and calcium salts of f
E471	Mono- and diglycerides of fatty acids
E553b	Magnesium silicate/Talc

### **Intended use**

E number

Based on the tests the materials or articles intended to come into contact with food are intended for use under the following conditions:

Types of food: All types of food.

Name

This product can be used for the following applications:

Maximum condition of use defined by conditions of the OM5 test in the regulation CE/10/2011, OM5 conditions also cover all conditions described for OM0, OM1, OM2, OM3 and OM4 conditions

Storage: 5° C - 40° C. Please store under clean, dry and odourless conditions We strongly recommend to use the products within **the 6 months**.

This confirmation does not apply to the unintended use of the product(s) which can result in a change of composition or organoleptic properties of the product(s). The possible specific interactions between the food to be packed and the product(s) is for the user to be examined. Confirmation is based on suppliers declarations, to the best of our knowledge and migration analyses.

This declaration is valid as long as no changes in the composition of the above product(s) and / or the relevant laws have taken place, in which case it will be renewed.

We recommend our customers to verify the regulatory status periodically.

I declare that the information submitted is correct.

E. Lotterman Quality Coördinator 28-02-2023



Questions? Certificates:

kwaliteit@paardekooper.nl/nl\_NL/certificaten