

Biopack BV
Konijnenboslaan 21
B-8470 Gistel

Declaration of Compliance

Description	Sauce Cups in R-PET with Lid
Product	RPETC0001 & RPETC0002
Material	R-PET

The manufacturer certifies that food packaging films are produced only with components that fulfil the requirements on products, intended for use in direct contact with food, as described in the latest revisions of food contact regulations. Polyolefins are in compliance with:

EC

- Framework Regulation (EC) No. 1935/2004 (dated 27-10-2004)
- Plastics Directive 10/2011/EC and amendments
- Regulation 2023/2006 on GMP (dated 29-12-2006)
- Directive (EC) No. 94/62 on packaging and packaging waste
- Regulation (EC) 2022/1616

Netherlands:

- Regeling Verpakkingen- en gebruiksartikelen (Warenwet)

Additional information

- All products have to be stored under clean, dry and odourless conditions
- Storage temperature for PET: 5 - 40°C
- Material : RPET / Registration EFSA Decontamination process: RECYC222 / EFSA-Q-2021-00083 according to Regulation EC 2022/1616.

No functional barrier is used

The manufacturer confirms that this article complies with the applicable requirements of the following regulations (in each case including all amendments and in the version that is valid under the conditions of use given in the paragraph "Application area") Article 3, 11 (5), 15 and 17 of Regulation (EC) No. 1935/2004 on materials and articles intended to come into contact with food, Article 3).

Please note that the organoleptic properties of the food contact material were tested exclusively with 10% ethanol, 3% acetic acid and vegetable oil as food simulant. However, the organoleptic properties may be influenced by processing conditions as well as storage conditions such as duration, temperature and the type of food.

Therefore it is recommended that the food manufacturer checks the organoleptic properties with the actual food.



Test conditions Overall Migration (OM2):

Simulants	During	Temperature
10% Ethanol (A)	10 days	40°C
3% Acetic acid (B)	10 days	40°C
Vegetable oil (D2)	10 days	40°C

Results of Overall migration:

No	Analiz Adı <i>Analysis Name</i>	Sonuç <i>Results</i>	LOQ / LOD	Ölçüm Belirsizliği <i>Uncertainty</i>	Geri Kazanım <i>Recovery</i>	Cihaz <i>Equipment</i>	Metot <i>Method</i>	Limit <i>Requirement</i>	Değerlendirme <i>Interpretation</i>
1	Toplam Migrasyon (Sulu Gıda, Gıda Benzeri A, %10 Etanol) Daldırma / Immersion 40°C, 10 gün / 40°C, 10 d. Determination of Overall Migration (Aqueous Food, Food Simulant A, Ethanol (10%))	Tespit Edilemedi/ Not Detected mg/dm ²	LOQ=2 mg/dm ²	-	-		TS EN 1186-3	<= 10 mg/dm ² a	Uygun : Pass
2	Toplam Migrasyon (Asitli Gıda, Gıda Benzeri B, % 3 Asetik Asit) Daldırma / Immersion 40°C, 10 gün / 40°C, 10 d. Determination of Overall Migration (Acidic Food, Food Simulant B, 3% Acetic Acid)	Tespit Edilemedi/ Not Detected mg/dm ²	LOQ=2 mg/dm ²	-	-		TS EN 1186-3	<= 10 mg/dm ² a	Uygun : Pass
3	Toplam Migrasyon Tayini (Yağlı Gıda, Gıda Benzeri D2, Bitkisel Yağ) Daldırma / Immersion 40°C, 10 gün / 40°C, 10 d. Determination of Overall Migration (Fatty Food, Simulant for Simulant D2, Vegetable Oil)	Tespit Edilemedi/ Not Detected mg/dm ²	LOQ=1 mg/dm ²	-	-		TS EN 1186-1, TS EN 1186-2	<= 10 mg/dm ² a	Uygun : Pass

Requirements to use of the material:

- Products made of R-PET are intended to come into contact with **all types of food**
- The products are intended for long-term storage at room temperature or below, including heating up to 70°C for a duration of 2 hours or heating up to 100°C for not more than 15 minutes.
- Area to weight ratio: 1 dm² for 150 g food

The information relative to the substances for which there are restrictions and/or dual use additives:

On the basis of the declaration of the supplier(s) and according to the productions, above referenced article may contain:



The following substances subject to restriction, Specific Migration Limits (SML):

Ref. N°	CAS N°	Substances	Result	SML
24910	100-21-0	Teraphtalic Acid,	Conform	7,5 mg/kg
19150	121-91-5	Isophtalic Acid	Conform	5 mg/kg
-----	107-21-1	Ethyleneglycol	Conform	30 mg/kg
-----	111-46-6	Diethyleneglycol	Conform	30 mg/kg
35760	1309-64-4	Antimony Trioxide	Conform	0,04 mg/kg expressed as antimony

Specific Migration on heavy metals

The content of heavy metals (lead, cadmium, mercury, chromium IV) is beneath the limit of 100 ppm as specified in the European Directive 94/62/EEG and amendments 2004/12/EC and 2005/20/EC.

Bisphenol A

The product does not contain Bisphenol A (CAS 80-05-7 / FCM No. 159).

Dual use additives

The manufacturer confirms that this food packaging does not contain any substances defined as “dual use additive” which is covered by the Union List in Annex I of Commission Regulation (EU) No. 10/2011 and also covered by the Union List of food additives and flavourings in Regulation (EC) 1333/2008 and (EC) No. 1334/2008.

It should be noted that the product has been tested for the abovementioned forms of usage and conditions. Therefore, it will be the sole responsibility of the downstream users to determine that the usage of the product complies with the information given in this document and is safe, lawful and technically suitable so that no change in flavour, taste or organoleptic properties occurs. In case the product will be used in a different manner than tested, the information in this declaration of compliance will not apply and the downstream users shall be responsible for the compliance with the legislation and regulations.

Biopack BV is a trader and does not alter the product.

The information provided is based on documentation of the supplier and manufacturer.

This declaration is valid from 11/06/2024 and replaces all previous declarations.

This declaration may be modified without prior notice. A recent version can always be retrieved.

Gistel, 09/07/2024



Gwendoline HOORNAERT
Biopack BV

